



**Journal of Prosthodontics Dentistry**  
**An Official Publication of Bureau for Health & Education Status Upliftment**  
 (Constitutionally Entitled As Health-Education, Bureau)

## Maintenance of the Contour Gingival Tissues in Atraumatic extraction and Implant Placement

Dr Youginder Singla<sup>1</sup>, Rajni Sharma<sup>2</sup>

<sup>1</sup>Ex Prof & Head ,Department of Prosthodontics, Maharaja Ganga Singh Dental College and Research Centre, Sri Ganganagar, Rajasthan, India


<sup>2</sup>MDS STD, Maharaja Ganga Singh Dental College and Research Centre, Sri Ganganagar, Rajasthan, India

Email Id: [serviceheb@gmail.com](mailto:serviceheb@gmail.com)

### ABSTRACT

There is an accelerated resorption in the first six months after the extraction of the dental element, both horizontally and vertically<sup>1</sup>. These clinical changes normally undertake the aesthetic result of prosthetic rehabilitation, and implant installation after the extraction can be a resource to decrease resorption. The clinical case described in this paper demonstrates a sequence of clinical atraumatic extraction, and then the Immediate installation and provisionalization. It is concluded that when carefully indicated and planned, this technique can provide an immediate result promising with maintaining the tooth gingival contour.

**Key Words:** Atraumatic extraction, immediate implant, prostheses and implants.

Access this Article Online	<b>Quick Response Code:</b> 
Website: <a href="http://heb-nic.in/jopd">http://heb-nic.in/jopd</a>	
Received on 12/01/2021	
Accepted on 30/01/2021 © HEB All rights reserved	