



HEB

Journal of Prosthodontics Dentistry (JOPD)
An Official Publication of Bureau for Health & Education Status Upliftment
 (Constitutionally Entitled As Health-Education, Bureau)

JOPD

**Influence of Excess Cement And Different Techniques in
 Excess Cement Removal in Cement Retained Implant System**

*Sai Kumar C D¹, Rao B L², Satyanarayana T S V³, Sravanthi T L G⁴,
 Krishna Teja G⁵, Padmini D⁶*

1. Post graduate student, Department of prosthodontics, Lenora institute of dental sciences, NTR University of Health Sciences.
2. Head of the Department, Professor, Department of prosthodontics, Lenora institute of dental sciences, NTR University of Health Sciences.
3. Professor, Department of prosthodontics, Lenora institute of dental sciences, NTR university of Health Sciences.
4. Post graduate student, Department of prosthodontics, Lenora institute of dental sciences, NTR University of Health Sciences.
5. Post graduate student, Department of prosthodontics, Lenora institute of dental sciences, NTR University of Health Sciences.
6. Post graduate student, Department of prosthodontics, Lenora institute of dental sciences, NTR University of Health Sciences.

Correspondence Email ID: serviceheb@gmail.com

Abstract: The amount of cement left was influenced by the location of the crown- abutment margin. Deep crown-abutment margin positions (deeper than 1 mm below mucosa) increased the risk of residual cement. Excess cement was more difficult to remove in interproximal surfaces than other surface areas. It could be demonstrated, that cement remnants were not only found at the margins of the crown-abutment complex, but also at the basal surface of the abutment. Therefore, it is essential to exercise the utmost care when cementing crowns to CAD/CAM molar abutments with a prominent convex emergence profile. This article mainly focused on complications from excess cement and various techniques to remove.

Keywords: Excess cement, screw retained, cement retained, Cement removal

Access this Article Online

Website: http://heb-nic.in/jopd-issues/	Quick Response Code:
Received on 23/03/2022 Accepted on 11/04/2022 © HEB All rights reserved	