Reg. No: RJ17D0105798 ISSN NO: 2582-0648



HEB

Journal of Research in Indian Medicine An Official Publication of Bureau for Health & Education Status Upliftment (Constitutionally Entitled As Health-Education, Bureau)

JRIM

Efficacy of *Qurṣ-ī-Shibb* in *Kathrat-i-Ṭamth* (HMB): An observational clinical study

Ghufran Najeeb ¹, WajeehaBegum ^{2*}, & SyedaSumaiya³

- PG Scholar, Dept of Ilmul Qabalatwa Amraze Niswan, National Institute of Unani Medicine Kottigepalya, Magadi Main Road, Bengaluru, Karnataka. India 560091.
- 2. *Professor & HoD, Dept. of Ilmul Qabalatwa Amraze Niswan, National Institute of Unani Medicine Kottigepalya, Magadi Main Road, Bengaluru, Karnataka. India 560091.
- 3. PG Scholar, Dept of Ilmul Qabalatwa Amraze Niswan, National Institute of Unani Medicine Kottigepalya, Magadi Main Road, Bengaluru, Karnataka. India 560091.

Email Id: serviceheb@gmail.com

ABSTRACT:Heavy flow during menstruation is called Menorrhagia or Heavy Menstrual Bleeding, which is one of the most common reasons for women to be referred to gynaecologists. In reproductive age groups 30% of women affected by HMB. In the Unani system, HMB is called Kathrat-i-Tamth is due to Zu'f-i-qūwwat-i-māsika and Qawī qūwwat-i-dāfi'a of uterus. Several drugs and Hyterectomy is recommended for the treatment of HMB but having side-effects. Qurṣ-ī-Shibb mentioned for menorrhagia in classical texts, but it has not been validated scientifically till date. Hence, an attempt was made to evaluate the effect of Qurṣ-ī-Shibb in Kathrat-i-Tamth.

METHODS: This study was carried out at NIUM Hospital. Diagnosed patients (n=30), married and unmarried between 18-40 years, having regular cycles with heavy bleeding in duration or amount of flow or both were included. Test drug Qurṣ-ī-Shibb 3gm per day (3Qurstid) from 1st day of menses for 5 days for 2 cycles. The primary outcome was to assess the effect of the test drug on menstrual blood loss with the PBAC Scale. The secondary outcome was an improvement in QOL assessed by the SF12 scale. Results were analysed by using the Student 't' test and paired proportion test.

RESULTS:All patients of HMB improved and responded well with the test drug. The test drug reduces the PBAC score Mean±SD is 384.23±127.94,99.66±48.47, before and after treatment respectively with P-value of 0.001** The patients' quality of life improved with mean±SD74.66±8.62,105.31±5.50 respectively before and after treatment with Pvalue of 0.001**which is highly significant.

Reg. No: RJ17D0105798 ISSN NO: 2582-0648

INTERPRETATION AND CONCLUSION: It is concluded that the test drug *Qurṣ-ī-Shibb* was found effective in reducing heavy menstrual bleeding in terms of duration and amount of flow. Furthermore, it was found safe and well-tolerated by the patients.

KEYWORDS: *Kathrat-i-ṭamth;* Heavy menstrual bleeding; *Qurṣ-ī-Shibb*; Quality of life; PBAC, SF12 scale.

Access this Article Online	Quick Response Code:
Website:http://heb-nic.in/jrim	回線以回
Received on 07/07/2021	
Accepted on 16/07/2021 © HEB All rights reserved	Elivande